

CLOUGH, HARBOUR & ASSOCIATES

ENGINEERS, SURVEYORS, PLANNERS & LANDSCAPE ARCHITECTS

W

1300 STATE TOWER BUILDING 109 SOUTH WARREN STREET SYRACUSE, NEW YORK 13202 TEL: 315-471-3920 • FAX: 315-471-3569

February 1, 1996

Mr. William G. Little
Associate Attorney
Division of Environmental Enforcement
New York State Department of Environmental Conservation
50 Wolf Road
Room 400
Albany, NY 12233-5550

RE:

Response to the January 4, 1996 New York State Department of Environmental Conservation Letter Regarding the Town of Salina's June 1995 Revised Response to the United States Environmental Protection Agency Joint Request for Information. CHA Project No. 4783.14.04

Dear Mr. Little:

This submission has been prepared on behalf of the Town of Salina in response to the January 4, 1996 New York State Department of Environmental Conservation (NYSDEC) letter regarding the Town of Salina's June 1995 Revised Response to United States Environmental Protection Agency (USEPA) Joint Request for Information. A copy of the January 4, 1996 letter is included as Attachment 1. The referenced NYSDEC letter asks that the Town provide analytical results for the ground water monitoring conducted at the Town of Salina Highway Garage in May of 1995 relative to question 9 of the Joint Request for Information.

The May 1995 groundwater monitoring event was conducted pursuant to the conditions of a December 2, 1994 letter from Christopher F. Mannes III of the NYSDEC. A copy of Mr. Mannes letter is included as Attachment 2. In this letter, Mr. Mannes requires that the May 1995 monitoring event be completed to further evaluate the potential impacts that the underground tanks which were formerly located on-site may have had on the site's groundwater quality. Mr. Mannes mandated that this work be done following his review of the November 1994 Investigation Report for the site which documents its ground water quality following the removal of the former tanks. The November 1994 report was included as Appendix F of the Town of Salina's June 1995 Revised Response to USEPA Joint Request for Information. As stated in Appendix F and as summarized in Section 2.2 of the same document, the initial groundwater monitoring data indicated that the site's groundwater quality was not significantly impacted by the former tanks.

The referenced monitoring event was conducted on May 3, 1995. A May 22, 1995 letter report to Mr. David Utt, former Town of Salina Supervisor, which summarizes the results derived form this monitoring event is included as Attachment 3. As stated in the attached letter report, the analysis of the May 3, 1995 groundwater sample indicated that the groundwater quality in the vicinity of the former tanks had improved. This is evidenced by the fact that all of the parameters which were previously detected were either present at lower concentrations, or they were not present at concentrations in excess of their analytical methods' detection limits.





ALBANY, ROCHESTER, SYRACUSE, BUFFALO, LAKE PLACID. GOSHEN & NEW YORK CITY, NY MALVERN & WILKES-BARRE, PA • HARTFORD, CT • SPRINGFIELD, MA • KEENE, NH RUTLAND, VT • FALMOUTH, ME On May 26, 1995, a copy of the letter report regarding the May 1995 monitoring event was forwarded to Mr. Mannes. A copy of the transmittal letter which accompanied this submittal is included as Attachment 4. In the attached cover letter it was requested that the NYSDEC grant the Town of Salina approval to discontinue ground water monitoring at the site, based upon the ground water monitoring data gathered to date.

On June 15, 1995, Mr. Mannes issued a letter to Supervisor Utt which concurred with the Town's request to discontinue groundwater monitoring relative to the former tanks. A copy of Mr. Mannes' letter is included as Attachment 5.

The information presented herein should satisfy the requirements of January 4, 1996 NYSDEC letter (Attachment 1) regarding the May 1995 groundwater monitoring event. However, if you have any questions regarding this submission or the Town of Salina's June 1995 Revised Response to the USEPA Joint Request for Information, do not hesitate to contact me.

Very truly yours.

CLOUGH, HARBOUR & ASSOCIATES ENGINEERS, SURVEYORS, PLANNERS & LANDSCAPE ARCHITECTS

Keith J. Ziobron, P.E. Project Manager

CC:

Ms. Mary Ann Schadt, Town of Salina Supervisor

Mr. Herbert H. King, USEPA Mr. Albert DiBernardo, TAMS

Mr. George A. Shanahan, Esq., USEPA

Mr. Frank Mento, P.E., CHA

kjz 4783.r6

New York State Department of Environmental Conservation Division of Environmental Enforcement 50 Wolf Road Room 400 Albany, New York 12233-5550

Fax:518-457-7819



Commissioner

Telephone: (518) 457-7821

Fax: (518) 457-7819

CERTIFIED MAIL RETURN RECEIPT REQUESTED

4 1996 JAN

Ms. Mary Ann Schadt, Town Supervisor Town of Salina 201 School Road Liverpool, N.Y. 13088

EPA/DEC Joint Request for Information

Dear Ms. Schadt:

This correspondence responds to the Town of Salina's (the Town) reply to the joint request for information from EPA and the Department received by the Town on March 2, 1995. After review, the Department has identified a data gap in the Town's reply, as set out in the question below. Pursuant to the underlying State and Federal authority set forth in the March 2, 1995 joint request, please submit the requested information within 30 days of your receipt of this correspondence.

1. Please provide analytical results of the Salina Highway Garage's groundwater sampling, performed sometime before May of 1995 and referenced in the Town's response to question 9 of the joint request.

We hope that EPA's and the Department's receipt of this supplemental information will complete the Town's response. We will continue to review your company's submittal and therefore must reserve our rights to ask for further supplemental information at a later date if it becomes necessary. Please contact Mr. Little at the above telephone number if you have any questions.

Sincerely Yours,

William G. Little

Associate Attorney Division of Environmental

Enforcement

ZGeorge A. Shanahan

Assistant Regional Counsel United States Environmental

Protection Agency, Region II

cc: Mr. Albert DiBernardo, TAMS



_S MGT SYRACUSE TELESTS-420-2033

New York State Department of Environmental Conservation Region 7 Division of Spills Management 615 Erie Blvd. W., Syracuse, NY 13204-2400 (315) 426-7519



December 2, 1994

Mr. David R. Utt, Supervisor Town of Salina 201 School Road Liverpool, New York 13088

RE: INVESTIGATION REPORT TOWN OF SALINA HIGHWAY GARAGE SPILL NO. 94-03810

Dear Mr. Utt:

The Department has reviewed the referenced report prepared by Clough, Harbour and Associates Engineers and have the following comments:

- Given the soil boring and groundwater laboratory results, additional
 monitoring of groundwater from monitoring well #1 shall be required.
 Sampling shall be conducted six months from this letter. Results shall be submitted to this office by June 16, 1995.
- 2. The staged soils may be used as on site backfill material. Submit to this office documentation of final disposal within the confines of the Salina Highway property.

We look forward to your cooperation in this matter. If you have any questions or wish to discuss this further, please call this office.

Sincerely,

Christopher F. Mannes III Environmental Engineer I

CFM/cr



CLOUGH, HARBOUR

ENGINEERS, SURVEYORS, PLANNERS & LANDSCAPE ARCHITECTS

1300 STATE TOWER BUILDING 109 SOUTH WARREN STREET SYRACUSE, NEW YORK 13202 TEL: 315-471-3920 • FAX: 315-471-3569

CORRESPONDENCE

May 22, 1995

Mr David Utt Supervisor Town of Salina 201 School Road Liverpool, New York 13088

RE:

The statement with the control of the control of the

MAY 1995 GROUND WATER MONITORING RESULTS FOR THE TOWN OF SALINA HIGHWAY

GARAGE. NYSDEC SPILL NO. 94-03810

CHA PROJECT NO. 4534.14.01

Dear Mr. Utt:

In December of 1994 the Town of Salina received a letter dated December 2, 1994 from Christopher F. Mannes III of the New York Department of Environmental Conservation (NYSDEC) regarding the November 1994 Investigation Report for the Town of Salina Highway Garage. This report was prepared and submitted to the NYSDEC by Clough, Harbour and Associates (CHA), on behalf of the Town of Salina. A copy of Mr. Mannes letter is included as Attachment 1. Condition 1 of Mr. Mannes' letter requires that a second sample from the monitoring well installed in the center of the area where the former underground storage tanks were located be collected and analyzed.

This monitoring well was resampled on May 3, 1995 by a CHA geologist per approved sampling protocols. A WaTerra hydrolift pump with dedicated tubing and a dedicated foot valve was used to purge and sample the well. The sample was stored in appropriate containers on ice while in transit to the laboratory. A copy of the well sampling log for this event is included as Attachment 2. As stated in this log, there was no floating petroleum product or sheen noted in the well; however, the ground water did exhibit a slight gasoline odor. As Stated in the attached log, the depth to ground water prior to purging the well on May 3, 1995 was 6.58 feet. This is largely consistent with the depth to ground water encountered during the first sampling event which was conducted on November 8, 1994. The depth to ground water measured during the first sampling event was 6.48 feet. The observed ground water depth differential of 0.1 feet indicates that the hydrogeologic characteristics of the site in the vicinity of the well are not largely impacted by seasonal factors.

Northeast Analytical (NEA) of Schenectady, New York, a New York State Department of Health certified laboratory, analyzed the May 3, 1995 sample. Following Standard QA/QC Protocols, the sample was analyzed for volatile organics via EPA Method 8021 and semi-volatile organics via EPA Method 8270. A copy of the Laboratory Report for the analyses of the May 3, 1995 sample is included as Attachment 3 of this letter. As stated in the attached laboratory report, none of the semi-volatile organic parameters of concern were detected in excess of the detection limits of EPA method 8270. Some of the volatile organics of concern were, however, detected at levels slightly in excess of the detection limits of EPA Method 8021. The results of the volatile organic EPA Method 8021 analysis for the detected parameters are tabulated below, where they are compared to the volatile organic results for the November 8, 1994 sample. The volatile organic results for both sampling events are also compared to their respective New York State ground water standards in the table.



ALBANY, ROCHESTER, SYRACUSE, BUFFALO, LAKE PLACID, GOSHEN & NEW YORK CITY, NY MALVERN & WILKES-BARRE, PA • HARTFORD, CT • SPRINGFIELD, MA • KEENE, NH

Analytical Ground Water Sample Results Summary

Parameter	Ground Water Standard (ug/l)	MW-1 (ug/l) May 1995	MW-1 (ug/l) November 1994
N-butylbenzene	5	1.18	7.48
Sec-butylbenzene	5	1.86	3.62
Chlorobenzene	5	1.12	
1,4-dichlorobenzene	4.7	1.17	
Isoprophylbenzene	5	1.75	3.55
Napthalene	50	2.28	10.3
N-propylbenzene	5	1.74	4.28
Methyl tertiary butyl ether	50		2.81
Ethylbenzene	5	<1.0	1.65
M&P-xylene	5	<1.0	2.75
O-xylene/styrene	5	<1.0	1.12
1,3,5-trimethylbenzene	5	<1.0	1.56
1,2,4-trimethylbenzene	5	<1.0	14.2

ug/l: micrograms per liter = part per billion

Ground Water Standard: New York State ground water standard per 6 NYCRR Section 703.5

Dashed line (---): analysis of the sample did not include this specific parameter

As indicated by the tabulated volatile organic results for the May 1995 sampling event, many of the parameters of concern detected during the November 1994 sampling event were not detected in the May 1995 sample in excess of their analytical method's detection limits. Also, in every instance the concentrations of those parameters which were detected in the May 1995 sample were detected at levels which were significantly lower than those detected in the September 1994 sample. In addition, none of the detected parameters in the May 1995 sample were present at concentrations in excess of their respective ground water standards.

Therefore, based upon the analytical results for the samples collected during the two sampling events, and since no floating product was found to be present in the in the well, CHA has concluded that the ground water quality in the vicinity of the former tanks has improved to a point such that no further remedial actions or investigations are warranted. It is CHA's contention that the detected residual contamination will either naturally attenuate and/or biodegrade. As a result, CHA recommends that this letter and its attachments be forwarded to Mr. Mannes for his consideration. A cover letter asking for the NYSDEC's permission to discontinue monitoring could also accompany the submission.



Mr. David Utt May 22, 1995

If you have any questions, do not hesitate to contact either myself or Frank Mento.

Very truly yours,

CLOUGH, HARBOUR & ASSOCIATES ENGINEERS, SURVEYORS, PLANNERS & LANDSCAPE ARCHITECTS

Keith J. Ziobron

Environmental Engineer

ATTACHMENT 1



FILLS MGT SYRACUSE TEL STS 420 2035

New York State Department of Environmental Conservation Region 7 Division of Spills Management 615 Erie Blvd. W., Syracuse, NY 13204-2400 (315) 426-7519



December 2, 1994

Mr. David R. Utt, Supervisor Town of Salina 201 School Road Liverpool, New York 13088

RE: INVESTIGATION REPORT TOWN OF SALINA HIGHWAY GARAGE SPILL NO. 94-03810

Dear Mr. Utt:

The Department has reviewed the referenced report prepared by Clough, Harbour and Associates Engineers and have the following comments:

- 1. Given the soil boring and groundwater laboratory results, additional monitoring of groundwater from monitoring well #1 shall be required. Sampling shall be conducted six months from this letter. Results shall be submitted to this office by June 16, 1995.
- 2. The staged soils may be used as on site backfill material. Submit to this office documentation of final disposal within the confines of the Salina Highway property.

We look forward to your cooperation in this matter. If you have any questions or wish to discuss this further, please call this office.

Sincerely,

Christopher F. Mannes III Environmental Engineer I

CFM/cr

FILE COPY

ATTACHMENT 2



•	h, Harbour Well Samp		ites		Sample Designation:	My	<u> -</u>			
Project Name: Project Location:		when.		Project No: Date: 5 3 45 Screen Length:						
Purge Information:										
(1) Depth to Bottom (from TOC)	of Well:				epth to Water (from TOC)			ft		
(3) Column of Water: 7.707/ (4) Casing Diameter: 4 1 (4)										
(5) Volume Convers	sion:	657	gal/ft	: (6) 1	Val. of Well:	4.7.	م	gal		
Method of Purging:										
Volume Conversion	i: Bezin	purge	1042							
2" = 0.163	4"	= 0.653	6" =	1.469	8" = 2.6	11	10" = 4.08			
Field Analysis:	-			,		•				
Vol Purged (gal)	1,5	2.5	2004	6						
Time '	1055	1105	1115	1175						
ORP/EH (MV)	-0									
pH .	6.89	6.85	6,48	6,87	2					
Cond. (MS/CM)	3.03	3.10	3.06	3.0						
Turb. (NTU)	85	67	75	84						
D.O. (mg/l)		11:80	11.94	11.7:	J.					
Temp. (°C)	14.7	13,5	13.3	17.3)			***		
Total Volume Purg	jed: <u> </u>			_ gal	Total Purge	Time:	איז ברו לי			
Sampling Info:										
Sample Method: _	WHILL	M			K					
Sample Time:	1.30			No. of t	Bottles:					
Sample Analyses:	- .	020	d 50	21						
Comments:			slo.							
										
Logged By:	< DV	7								

ATTACHMENT 3



NORTHEAST ANALYTICAL __________

ENVIRONMENTAL LAB SERVICES

301 Nott Street, Schenectady, NY 12305 (518) 346-4592 • FAX (518) 381-6055

CERTIFICATE OF ANALYSIS
APRIL 11, 1995

and the control of th

CLOUGH, HARBOUR & ASSOCIATES

3 Winners Circle P.O. Box 5269 Albany, NY 12205-5269 Contact: Rogina Camilli

CUSTOMER ID:

MW-1

NEA ID:

953582

SAMPLE MATRIX:

GROUND WATER

DATE SAMPLED:

05/03/95

TIME: N/A

DATE RECEIVED:

05/03/95

<u>TIME</u>: 14:35

DATE TESTED:

05/07/95

SAMPLED BY:

N/A

LOCATION:

N/A

CUSTOMER PO#:

4534.14.01

LAB ELAP #:

#11078

METHODOLOGY: SW846 METHOD 8021

PARAMETER PERFORMED	RESULTS	UNITS	PARAMETER PERFORMED	RESULTS	UNITS
BENZENE	< 0.700	μg/L	CIS-1,3-DICHLOROPROPENE	< 1.00	μg/L
BROMOBENZENE	< 1.00	μg/L	TRANS-1,3-DICHLOROPROPENE	< 1.00	μg/L
BROMOCHLOROMETHANE	< 1.00	μg/L	1.2-DICHLOROPROPANE	< 1.00	μg/L
BROMODICHLOROMETHANE	< 1.00	μg/L	1,3-DICHLOROPROPANE	< 1.00	μ g/ L
BROMOFORM	< 1.00	μg/L	2.2-DICHLOROPROPANE	< 1.00	μg/L
BROMOMETHANE	< 1.00	μg/L	1.1-DICHLOROPROPENE	< 1.00	μ g/ L
n-Butylbenzene	1.18	μg/L	ETHYLBENZENE	< 1.00	μg/L
sec-BUTYLBENZENE	186	μg/L	HEXACHLOROBUTADIENE	< 1.00	μ g /L
tert-BUTYLBENZENE	< 1.00	μg/L	ISOPROPYLBENZENE	1.75	μg/L
CARBON TETRACHLORIDE	< 1.00	μg/L	4 - ISOPROPYLTOLUENE	< 1.00	μg/L
CHLOROBENZENE	1.12	μg/L	METHYLENE CHLORIDE	< 1.00	μg/L
CHLOROSENZENE	< 1.00	μg/L	NAPHTHALENE	2.28	μg/L
	< 1.00	μg/L	n-PROPYLBENZENE	1.74	μg/L
CHLOROMETHANE	< 1.00	μg/L	1,1,1,2-TETRACHLOROETHANE	< 1.00	μg/L
CHLOROFORM	< 1.00	μg/L	1.1.2.2-TETRACHLOROETHANE	< 1.00	μg/L
2 - CHLOROTOLUENE	< 1.00	μg/L	TETRACHLOROETHENE	< 1.00	μg/L
4 - CHLOROTOLUENE	< 1.00	μg/L μg/L	TOLUENE	< 1.00	μg/L
DIBROMOCHLOROMETHANE	< 1.00	μg/L	1.2.3-TRICHLOROBENZENE	< 1.00	μg/L
1,2-DIBROMO-3-CHLOROPROPANE	< 1.00	μg/L	1,2,4-TRICHLOROBENZENE	< 1.00	μg/L
1,2-DIBROMOETHANE	< 1.00	μg/L	1,1,1-TRICHLOROETHANE	< 1.00	μg/L
DIBROMOMETHANE	< 1.00	μg/L	1.1.2-TRICHLOROETHANE	< 1.00	μg/L
1,2-DICHLOROBENZENE	< 1.00	μg/L	TRICHLOROETHENE	< 1.00	μg/L
1,3-DICHLOROBENZENE	1.17	μg/L	TRICHLOROFLUOROMETHANE	< 1.00	μg/L
1,4-DICHLOROBENZENE	< 1.00	μg/L	1.2.3-TRICHLOROPROPANE	< 1.00	μg/L
DICHLORODIFLUOROMETHANE	< 1.00	μg/L	1.2.4-TRIMETHYLBENZENE	< 1.00	μg/L
1,1-DICHLOROETHANE	< 1.00		1.3.5-TRIMETHYLBENZENE	< 1.00	μg/L
1,2-DICHLOROETHANE	< 1.00	μg/L μg/L	VINYL CHLORIDE	< 1.00	μg/L
1,1-DICHLOROETHENE	< 1.00	μg/L μg/L	O-XYLENE/STYRENE	< 1.00	μg/L
CIS-1,2-DICHLOROETHENE	< 1.00	μg/L μg/L	M-XYLENE/P-XYLENE	< 1.00	μg/L
TRANS-1, 2-DICHLOROETHENE	C 1.00	2215			

Northeast Analytical, Inc.

By: Robert E. Wagner Laboratory Director

ENVIRONMENTAL LAB SERVICES

301 Nctt Street, Schenectady, NY 12305 (518) 346-4592 • FAX (518) 381-6055

CERTIFICATE OF ANALYSIS MAY 12, 1995

CLOUGH, HARBOUR & ASSOCIATES

3 Winners Circle P.O. Box 5269

Albany, NY 12205-5269 Contact: Rogina Camilli

CUSTOMER ID:

MW-1

NEA ID:

953582

SAMPLE MATRIX:

GROUND WATER

DATE SAMPLED:

A MARIO DE LOS TIMBARAS PAR DESENTAR TRANSPORTA A VIDA CARROLLA DE CARROLLA DE

05/03/95 <u>TIME</u>: N/A

DATE RECEIVED:

05/03/95 TIME: 14:35

DATE TESTED:

05/11/95

SAMPLED BY:

N/A

LOCATION:

N/A

CUSTOMER PO#:

4534.14.01

LAB ELAP #:

#11078


METHODOLOGY: 8270 STARS

PARAMETER PERFORMED	•	<u>RESULTS</u>	<u>UNITS</u>
ACENAPHTHENE ANTHRACENE BENZO(a) ANTHRACENE BENZO(a) PYRENE BENZO(b) FLUORANTHENE BENZO(g, h, i) PERYLENE BENZO(k) FLUORANTHENE CHRYSENE DIBENZ(a, h) ANTHRACENE FLUORANTHENE FLUORENE	•	RESULTS < 11 < 11 < 11 < 11 < 11 < 11 < 11 <	UNITS
INDENO(1,2,3-cd) PYRENE NAPHTHALENE PYRENE		< 11 < 11	μg/L μg/L
PHENANTHRENE		< 11	μg/L

Northeast Analytical, Inc.

By: Robert E. Wagner Laboratory Director

ENVIRONMENTAL LAB SERVICES 01 Nott Stroot, Schenectady, NY 12305 (518) 346-4592) 12	Refrigerator #										NEA Use Only Samples were:	
Nott Stroot, S	cheneciady, NY 12	303 (310) 010 101		#/Тур	o Container	G	3G							1 Shipped of
LIENT CHA Tork Order 4534.74.01 Tate Received 5/3/95 Date Due 5/17/95 The Received 5/3/95 Date Due 5/17/95 The Contact Accidence Councilles			Volume Preservative		1l none	401							Hand-Delivered Notes:	
		00				none								
Received	073/95 09ina (ix 1 (578) 45	3-4569	7.5		YSES UESTED	SEST STATES	ी हुन्दु							2 Ambient of Chille Notes: 150
EA Use Only		ID/Description	M	fatrix *	Date Collected									3 Received Broken/ Leaking (improperty/
Lab ID 53582	Wyv			3W	5/3/15	~	-							soaled): Yes (Notes:
														4 Properly Preserved:
														Notes NOT
							-							Times: Yes
														Noles:
														COC Tape was: 1 Present on Outer
								-						Package: //os Unbroken on/Oule: Package: / Yes/
														Package: Yes 3 Present or Samp? Yes No
MATRIX: = Soil = = Sediment	0 - Oil	WI = Wipe DS = Drum Solids	L.	= Fish = EP/TCL = Other	P Leachale	SP	ECIAL I	NSTRUC	гиопс	:				4 Unbreken on Saying Yes No Notes:
O = Solid	A = Air Relinquished by	DL = Drum Liquids Received by	Date	Time	Item/Reason		Relinqu	ished by	1	Receive	ed by	Date	Time	COC Record Wde:
lem/Reason	JUN THAT	M. KHEVEL	5395	14:35		_			-					Present upon recorpt of samples Yes Discrepancies between
	1	T			l	_							1	Sample Labels and CO



CLOUGH, HARBOUR & ASSOCIATES

ENGINEERS, SURVEYURS, PLANNERS & LANDSCAPE ARCHITECTS

1300 STATE TOWER BUILDING 106 SOUTH WARREN STREET SYRACUSE, NEW YORK 13200 TEL: 315-471-3920 • FAX: 315-471-3569 May 26, 1995

Mr Christopher F. Mannes III New York State Department of Environmental Conservation 615 Erie Boulevard West Syracuse, New York 13204-2400

RE: MAY 1995 GROUND WATER MONITORING RESULTS FOR THE TOWN OF SALINA HIGHWAY GARAGE (NYSDEC SPILL NO. 94-03810). CHA PROJECT NO. 4534.14.01

Dear Mr. Mannes:

Enclosed for your review, please find one copy of a May 22, 1995 letter report to Mr. David Utt, Supervisor of the Town of Salina regarding the May 1995 ground water monitoring results for the Town of Salina Highway Garage located at 601 Factory Avenue in Salina, New York (NYSDEC Spill No. 94-03810). The second round of ground water monitoring was conducted, and the enclosed letter report was prepared pursuant to the conditions of your December 2, 1994 letter to Mr. Utt, a copy of which is included as Attachment 1 of the enclosed letter report.

The on-site well was sampled on May 3, 1995, and was analyzed for the parameters of concern by Northeast Analytical of Schenectady, New York. As stated in the enclosed letter report, none of the semi-volatile parameters of concern were detected at levels in excess of their analytical method's detection limits, and the volatile organics which were detected were not present at levels in excess of their respective New York State ground water standards. Also, the volatile organic parameters which were detected in the May 1995 sample were detected at concentrations which were lower than those detected in the first sample collected in November of 1994. It should also be noted that there was no flolating petroleum layer or sheen associated with either of the samples.

Based upon the results of the analyses for the two samples collected to date, and given that there was no free phase petroleum product present in the well during either of the two sampling events, on behalf of the Town of Salina, Clough, Harbour & Associates (CHA) requests the approval of the New York State Department of Environmental Protection to discontinue monitoring. It is CHA's contention that the remaining residual contamination will either naturally attenuate or biodegrade. This is supported by the fact that the levels of the contaminants which were detected have measurably decreased since the first monitoring event. Given that the underground tanks are no longer present, this trend is expected to continue.

If you have any questions or comments regarding this matter, do not hesitate to contact me at (518) 453-2835.

Very truly yours,

CLOUGH, HARBOUR & ASSOCIATES ENGINEERS, SURVEYORS, PLANNERS

_& LANDSDAPE ARCHITECTS

Keith J. Ziobron // Environmental Engineer

cc: D. Utt

ALBANY, MENGCHESTER, SYRACUSE, BUFFALO, LAKE PLACID, GOSHEN & NEW YORK CITY, NY MALVERN & WILKES-BARRE, PA • HARTFORD, CT • SPRINGFIELD, MA • KEENE, NH RUTLAND, VT • FALMOUTT, ME



New York State Department of Environmental Conservation Region 7 Division of Spills Management 615 Erie Boulevard West, Syrecuse, NY 13204-2400 (315) 426-7519



June 15, 1995

Mr. David Utt, Supervisor Town of Salina 201 School Road Liverpool, New York 13088

RE: TOWN OF SALINA HIGHWAY GARAGE

MAY 1995 GROUNDWATER MONITORING RESULTS

SPILL NO. 94-03810

Dear Mr. Utt:

The Department has reviewed the referenced report prepared by Clough, Harbour and Associates (CHA) and have the following comments:

Based upon the historical groundwater monitoring results, the Department concurs with CHA's request to discontinue monitoring. However, the spill will remain open but classified as inactive.

If you have any questions or wish to discuss this matter further, please call our office at (315) 426-7519.

Sincerely,

Christopher F. Mannes III Environmental Engineer I

CFM/cr

cc: Keith J. Ziobron, C.H.A.